

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Please amend claim 27 to depend on claim 25 to correct a presumed inadvertent oversight on the part of the Applicant (since this error had been corrected in the claims filed 1/22/08).

Please amend the title to be "DATA MIGRATION FROM A NON-RAID VOLUME TO A RAID VOLUME" to more accurately reflect the claimed invention.

Conclusion

Any inquiry concerning this Office action should be directed to the Examiner by phone at (571) 272-4214.

Any response to this Office action should be labeled appropriately (including serial number, Art Unit 2189, and type of response) and mailed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, hand-carried or delivered to the Customer Service Window at the Randolph Building, 401 Dulany Street, Alexandria, VA 22313, or faxed to (571) 273-8300.

Art Unit: 2189

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197.

/Kevin Verbrugge/

Kevin Verbrugge
Primary Examiner
Art Unit 2189